

High Quality Decorating Tools

www.peta.com.cy

Contents

- 2 Paint Brushes
- 6 Emulsion Brushes
- 7 Paint Rollers
- 11 Paint Roller Handles
- 13 Trays and Sets
- 14 Accesories
- 15 Display Stands
- 16 Product RGD and QC
- 17 Brush Packing Specifications
- 18 Roller & Accessories Packing Specifications
- 19 Product Use Tables (Paint brushes)
- 20 Product Use Tables (Paint brushes)

Company Profile

Since 1977, the Peta brand has been a symbol of high quality decorating tools.

From initial operations in a small brush factory in Cyprus , to today's three manufacturing plants in Cyprus and Jordan (producing paint brushes, paint rollers, decorating tools and plastic products and components), customers worldwide have come to trust Peta to satisfy their requirements for both the professional and DIY sector.

The fact that Peta products are vertically produced (as most components are produced in-house) using the latest technology, means that these high quality paint brushes and rollers are supplied at competitive prices.

Peta products are actively exported to over 10 countries, including the UAE, Saudi Arabia and Oman (in the GCC region), Thailand (in Asia) as well as Europe.

For it's export achievements the organization has been honored with several Export Awards by both Cyprus and Jordanian authorities.





Paint Brushes

A significant aspect of Peta paintbrush making, is the use of the right materials and experienced production techniques. High quality bristle is used (with specifications and guidelines), and many of the quality handles are produced in house.

The latest production techniques are used to ensure superior finished products , whilst for select ranges (like PETA 500), Peta has trained personnel for hand making exceptional brushes.



Superior quality brush, with a special mixture of pure and Orel-T bristle and a two component handle (with anti-slip properties). Set in an inox ferrule with epoxy resin.

ltem	Width	Thickness	Length Out	Boxed
Z001	1″	7/16"	2 1/4"	12
Z002	2"	9/16″	2 1/2"	12
Z003	3"	11/16"	2 3/4"	12

Peta Optima



Superior quality brush with a special mixture of pure and Orel-T bristle set in a brass plated ferrule with epoxy resin.

ltem	Width (mm)	Thickness (mm)	Length Out (mm)	Boxed
0001	25	13	50	12
0002	35	13	55	12
0003	50	13	55	12
0004	60	16	61	12
0005	75	16	67	12
0006	100	16	74	12

Peta Professional

Peta 400

Superior quality brush with black natural bristle set into a stainless steel ferrule with epoxy resin.

ltem	Width	Thickness	Length Out	Boxed
PR401	1"	5/8"	2 1/2"	12
PR402	1 1/2"	5/8"	2 1/2"	12
PR403	2"	3/4	2 3/4"	12
PR404	2 1/2"	13/16"	2 3/4"	12
PR405	3"	7/8"	3"	6
PR406	4"	7/8"	3 1/2"	6

Thick quality brush with black natural bristle set in epoxy resin with nickel plated ferrule.

ltem	Width	Thickness	Length Out	Boxed
402	1"	5/8"	2 1/4"	12
403	1 1/2"	5/8"	2 1/4"	12
404	2"	3/4	2 1/2"	12
405	2 1/2"	13/16"	2 1/2"	12
406	3"	7/8"	2 3/4"	12
407	4"	7/8"	3"	6

Thick quality brush with white natural bristle set in epoxy compound with nickel plated ferrule.

ltem	Width	Thickness	Length Out	Boxed
601W	1"	5/8"	2 1/4"	12
602W	1 1/2"	5/8"	2 1/4"	12
603W	2"	3/4	2 1/2"	12
604W	2 1/2"	13/16"	2 1/2"	12
605W	3"	7/8"	2 3/4"	12
606W	4"	7/8"	3"	6

A fine quality adjustable corner brush with white natural bristle set in epoxy compound with nickel plated ferrule.

ltem	Width	Thickness	Length Out	Boxed
851	2 1/2"	13/16"	2 1/2"	12
852	3	7/8"	2 3/4"	6









A fine quality brush with black natural bistle set in epoxy compound with tin plated ferrule.

ltem	Width	Thickness	Length Out	Boxed
301	1/2"	3/8"	1 3/4"	24
302	3/4"	7/16″	1 3/4"	12
303	1"	1/2"	1 3/4"	12
304	1 1/2"	1/2"	2"	12
305	2"	1/2"	2"	12
306	2 1/2"	5/8"	2 1/2"	12
307	3"	5/8"	2 1/2"	12
308	4"	5/8"	3"	12

A fine quality brush with black natural bistle set in epoxy compound with tin plated ferrule.

ltem	Width	Thickness	Length Out	Boxed
301A	1/2"	3/8"	1 1/2"	24
302A	3/4"	7/16″	1 3/4"	12
303A	1"	1/2"	1 3/4"	12
304A	1 1/2"	1/2"	1 3/4"	12
305A	2"	1/2"	2"	12
306A	2 1/2"	1/2"	2"	12
307A	3"	5/8"	2"	12
308A	4"	5/8″	2 1/4"	12

Peta 300 A



A long handle Radiator brush with black or white natural bristle set in epoxy compound with tin plated ferrule.


	ltem	Width	Thickness	Length Out	Boxed
	201	1″	3/8"	1 3/4"	6
	202	1 1/2"	3/8"	2	6
	203	2"	3/8"	2	6
-	204	2 1/2"	3/8"	2 3/4"	6

3 3 3

Peta 200

A fine quality brush with natural white bristle set in epoxy compound with tin plated ferrule.

ltem	Width	Thickness	Length Out	Boxed
101	1″	1/2"	1 3/4"	12
102	1 1/2"	1/2"	2"	12
103	2"	1/2"	2"	12
104	2 1/2"	1/2"	2 1/4"	12
105	3"	5/8″	2 1/4"	12



ltem	Width (mm)	Thickness (mm)	Length Out	Boxed
0101	20	9	1 3/4"	12
0102	30	15	2"	12
0103	40	15	2"	12
0104	50	15	2 1/4"	12
0105	70	15	2 1/4"	12

A fine quality brush with natural white bristle with tin plated ferrule. Available in green or red unvarnished handles.

ltem	Width	Thickness	Length Out	Boxed
303A	1"	1/2"	1 3/4"	12
304A	1 1/2"	1/2"	2"	12
305A	2"	1/2"	2"	12
306A	2 1/2"	1/2"	2 1/4"	12
307A	3"	5/8"	2 1/4"	12
308A	4"	5/8"	2 1/2"	12

Economy brush with unvarnished plstic handle and white bristle. Suitable for oil paints and varnishes.

ltem	Width (mm)	Thickness (mm)	Boxed
i001	20	9	12
i002	30	9	12
i003	40	9	12
i004	50	9	12
i005	60	9	12

Peta 100 Orange

Peta Idea

Peta i brush







Super quality handmade wall brushes with white natural bristle in epoxy compound with nickel plated ferrule and plastic handle.

|--|

ltem	Width (mm)	Thickness (mm)	Length Out (mm)	Boxed
501	70	30	60	6
502	100	30	60	6
503	130	30	67	6
504	140	40	67	5
505	150	50	73	2



Peta 500



Super quality handmade wall brush with special bristle mixture, more durable than current natural bristle wall brushes. Set in epoxy compound with nickel plated ferrule and plastic handle

ltem	Width (mm)	Thickness (mm)	Length Out (mm)	Boxed
S501	100	30	66	6
S502	140	40	66	5



High quality handmade wall brush with long white natural bristle set in epoxy compound with wooden handle.

ltem	Width (mm)	Thickness (mm)	Length Out (mm)	Boxed
170	70	87	76	1



Paint Rollers

Peta paints rollers are designed and produced with the end user in mind (whether professional or DIY), and cover all major areas of paint and varnish applications. Our company uses environmentally friendly production machines like the patented thermofusion. For sufficient container quantities, we can also provide a vast selection of rollers with required fabric types and colours, in addition to our current ranges.



Medium pile polyester roller on a polypropylene core for emulsion
paints on smooth or semi-smooth surfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9"



Long pile polyester roller on a polypropylene core for emulsion paints on rough and texture surfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9"



Special Medium Pile roller for Epoxies and Waterproofing

Tube Diameter	Length
1 1/2"	7", 9"

SPU



Excellent quality paint roler. Designed for wood deck applications. Also suitable for emulsion paints.

Tube Diameter	Length
1 1/2"	4", 7"



High quality polyamide paint roller suitable for eco paints as well as plasterboard applications.

Tube Diameter	Length
1 1/2" or 1 3/4"	9"



A high quality mohair roller for gloss paints. Also for primers and undercoats or smooth and semi smooth surfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9"



Short pile polyester roller for gloss paints. Also for primers and undercoats on smooth and semi smooth surfaces. Available in White or Cream.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9"

Acrylic String type yellow



String type polyester roller on a polypropelene core for emulsion paints. Also suitable for masonry paints on rough and texture sarfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9", 91/2"

reen /



Exceptional Quality String type acrylic roller on a polypropylene core for emulsion paints. Also suitable for masonry paints on rough and texture surfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9"



Exceptional Quality String type polyamide roller on a polypropylene core for emulsion paints. Also suitable for masonry paints on rough and texture surfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9", 91/2"



Exceptional Quality String type acrylic roller on a polypropylene core for emulsion paints. Also suitable for masonry paints on rough and texture surfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9", 91/2"

micron



Respiration Fibre emulsion paint roller, suitable for smooth and semi smooth surfaces.

Tube Diameter	Length
1 1/2" or 1 3/4"	4", 7", 9"



High quality foam rollers on PVC tube. Available in fine (FRF), medium (FRM) and gross (FRG) texture.

Tube Diameter	Length
1 1/2"	4", 7", 9"

RMB



High quality foam rollers on PVC tube with burnt holes. Available in medium texture (RMB).

Tube Diameter	Length
1 1/2"	7", 9"



Available in : Mohair (for oil paints and varnishes) Polyamide String Type White (for emulsion paints) SPU Polyester / Acrylic (for epoxy applications)

Tube Diameter	Length
15mm	10 cm



Paint Roller Handles

Our handles are produced in - house and designed to fit our quality paint rollers



Cage type handle $Ø 1_{1/2}$ ". With 6mm frame.

Size
4"
7"
9"

Cage type handle Ø 13/4". With 6mm or 7mm frame.

Size
7"
9"





DIY Cage type handle Ø 11/2". With 6mm frame.

Size
4"
7"
g"

DIY Cage type handle Ø 13/4". With 6mm or 7mm frame.

Si	ze
7	7 11
ç)"

Diy Cage Type Handle



11/2" dia, with 6mm frame.

7"
<u>9</u> "

11/2" dia, with 6mm frame.

Size
4"
7"
9"



11/2" dia, with 6mm frame. Ready available in blue and green.

	Size		
	9"		

12



Fits 10cm radiator rollers



Trays and Sets



Leonardo set 9"

An economy set of 9" tray, 9" Medium pile roller, and 11/2 Ideal paint brush.



Polypropylene paint trays. Available in Green and Black. Other colours available upon request.



Economy tray 9"

Polypropylene paint trays. Available in Blue and Black. Other colours available upon request.

Economy tray 7"

Polypropylene paint trays. Available in Yellow. Other colours available upon request.

Leonardo Set 9"

Professional Tray 10"

Economy Tray



Accessories

These products can be used to enhance and support paint jobs



Epoxy painted steel telescopic poles.

Size (m)
2
3

Dust Covers



Prepacked dust covers.

Standart Quality available in: 20m² (4x5) and 50m² (4x12.5)

Heavy Duty Quality available in: 20m² (4x5) and 50m² (4x12.5)

Display Stands

These high quality displays can assist in a more effective promotion of Peta products. Available to all major stockists upon request.



Product RGD and Quality Control


By using tried and tested raw materials and relevant production processes, Peta ensures that paint brushes, rollers or accessories fulfill their ultimate goal: providing a quality tool for quality application.

This is why so many products in the ranges are used succesfully by proefessional and DIY users in over 10 countries worldwide.

Products taken from the production batch are tested regulraly out house (with recorder results) so any arising problems can be detected early.

Quality is of course a result of inhouse culture in the organization , starting from the production floor personnel up to top Management.

Trust in a product name can only be built on providing consistent quality and this principle has been the foundation of the business since it's beginning over 40 years ago.



Brush Packing Specifications

Size	Peta 300, 300A, i brush, Ideal, 100	Peta Super, 600, 400	Peta 850	Peta 200	Peta 2000 Professional
1/2"	888				
3/4"	444				
1"	444	444		600	444
11/2"	348	348		480	348
2"	348	216		420	216
2 1/2"	216	216	144	360	216
3"	216	144	84		84
4"	144	84			84

Size	Peta 500 S500 Special	Peta Optima, Zebra	100 ORANGE
25mm		444	444
30mm			444
35mm		348	
40mm			348
50mm		348	348
60mm		216	
75mm		216	216
100mm		144	
70x30mm	180		
100x30mm	108		
130x30mm	72		
140x40mm	60		
150x50mm	60		
150x60mm	60		
170x70mm	35		

Notes:

Standard Peta Cartons (for Brushes & Rollers): Size: 38 x 38 x 59 cm

One full 20ft container can take about 330 cartons

Trays and Tray Sets are packed in special cartons

Roller and Accessories Packing Specifications

	11/2" 4" Comp Ref. pcs / ctn	11/2" 7" Comp Ref. pcs / ctn
SWF (white)	75-150	60-100
SPB, SPU (anchor), Lint Free	100-200	65-120
PLM (all types) String type rollers	100-140	65-130
MFB (mohair), Simulated Mohair,	100-250	65-140
Foam rollers (all types)	60-105	45-60
Cages	100	85
Slip-On	100	85

	11/2" 9" Comp Ref. pcs / ctn	13/2" 7" Comp Ref. pcs / ctn	13/2" 9" Comp Ref. pcs / ctn
SWF (white)	50-85	60-85	50-70
SPB, SPU,PLM (all types)	60-108	60-120	50-96
MFB (mohair), Simulated Mohair	60-120	60-120	50-120
Foam rollers (all types)	35-55		
Cages	75	60	60
Slip-On	75		
Jumbo	60-120		50
Radiator Rollers	150-1000		
Rad. Handles	200		

Leonardo Set 9"	30 pcs (special cartons)
Trays Professional	20pcs
Economy Tray 9"	20pcs
Economy Tray 7"	20pcs

Product Use Tables

Series	EMULSION	OIL BASED PAINTS	ACRYLIC POLYMETERS	EPOXY
Zebra	Excellent Suitability	Excellent Suitability	Excellent Suitability	Not Suitable
Optima	Excellent Suitability	Excellent Suitability	Excellent Suitability	Not Suitable
Professional	Good Suitability	Good Suitability	Good Suitability	Not Suitable
400	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
600	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
850	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
300	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
300A	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
200 (black)	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
200 (white)	Good Suitability	Excellent Suitability	Good Suitability	Good Suitability
i brush	Good Suitability	Excellent Suitability	Good Suitability	Not Suitable
100	Good Suitability	Good Suitability	Good Suitability	Not Suitable
Ideal	Good Suitability	Excellent Suitability	Good Suitability	Excellent Suitability
500	Excellent Suitability	Not Suitable	Good Suitability	Not Suitable
500 Special	Excellent Suitability	Not Suitable	Good Suitability	Not Suitable

Product Use Tables

ITEM	DESCRIPTION	PAINT APPLICATION	SURFACE USE
SRB	Medium Pile	Emulsion Paints	Smooth & Semismooth
SFW	Long Pile	Emulsion & Masonry	Rough & Texture
MFB	Pure Mohair	Oil Based Paints	Smooth & Semismooth
MFS	Sim. Mohair	Oil Based Paints	Smooth & Semismooth
Polyester (yellow)	String Type	Emulsion & Masonry	Rough & Texture
PLM (green)	String Type	Emulsion & Masonry	Rough & Texture
ECO ROLLER	String Type	Emulsion & Masonry	Smooth & Semismooth
PLM (green G white)	Sheepskin	Emulsion & Oil Based paints	Rough & Texture
Omicron	String Type	Emulsion & Masonry	Rough & Texture
Lint Free	String Type	Emulsion Paints	Smooth & Semismooth
SPU	Medium Pile		Smooth & Semismooth
FRF / FRM / FRG	Foam Roller		Texture Finish
RMB	Foam Roller		Texture Finish
Radiator Rollers	Medium Pile		Smooth & Semismooth
Microfibre	String Type	Emulsion & Vernish	Smooth & Semismooth





PETA CO LTD

Yeri Industrial Zone P.O. Box 29096, Nicosia, 1621, Cyprus Tel.:00357-22815215, Fax: 00357-22485927 E-mail: peta@spidernet.com.cy